State





20240000016399



New Mexico Secretary of State

-FILED-

File #: 2024000016399 Date Filed: 8/7/2024

Filer contact information				
Contact Name	CAPITOL SERV	ICES		
Phone Number	(800) 345-4647			
Email Address	TANDJELIC@C	APITOLSE	RVICES.COM	
Submitter information				
Name	CAPITOL SERV	ICES		
Address	1501 S MOPAC			
	AUSTIN, TX 787	46		
Debtors			T	
DEBTOR'S NAME			MAILING ADDRE	SS
GREEN COPPER HOLDINGS, LLC, A NEW MEXICO	D LIMITED LIABILITY COI	MPANY	510 SOUTH DEWEY BARTLESVILLE, OK	74003
Secured Parties				
SECURED PARTY'S NAME		I	MAILING ADDRESS	Assig nor
FRANK LLOYD WRIGHT BUILDING CONSERVANC FOR-PROFIT CORPORATION	Y, AN ILLINOIS NOT-	53 WEST BOULEVA CHICAGO	RD, SUITE 720	
Collateral Collateral uploaded in an attachment. The collateral is not held in a trust or administered by a	a decedent's personal repr	esentative		
Designations Select the designation which describes this financing statement	Not Applicable			
Select an additional designation which describes this financing statement	Not Applicable			
Alternative Designations Select the alternative designation which describes this financing statement	Not Applicable			
Optional Filer Reference Data	51421-00001 - N	IM - STATE	<u> </u>	

Collateral Description

This is an informational filing. See attached collateral description found on Exhibit A hereto and made a part hereof. The collateral is subject to that certain Preservation and Conservation Easement dated April 6, 2011 and recorded in Book 1098 at Page 238 of the land records of Washington County, Oklahoma.

EXHIBIT A

Frank Lloyd Wright Building Conservancy
Price Tower - Schedule of 3-dimensional items addressed by easement
Based on on-site inventory May 2022
Updated 7/30/2024

Those objects and areas deemed "irreplaceable" and of the utmost value. If object is removed, it shall be categorized as Class D.

Class B

Those objects deemed "valuable" but which may necessitate replacement over time due to damage or breakage. If object is removed, it shall be categorized as Class D.

Class C

Those items deemed "historic" but which may necessitate replacement due to mechanical upgrades or safety concerns. If object is removed, it shall be categorized as Class D.

Class D

Those objects and items (moveable or fixed) currently installed or removed from the historic building over time that shall be accessioned into the collections of Price Tower Arts Center. This body of objects shall change over time due to museum accession and collecting policies, and as new items are discovered or removed from use. A current list of accessioned Price Tower historical objects shall be provided with each easement review.

Draft: If an item classified as A, B, or C is removed from the building, it retains its significance despite classification as D. If de-accessioning of the item for any reason is considered, the item should be reviewed and agreed upon jointly by the grantor and the grantee.

Item photo	Item photo	item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Accordion partition 01	Annex Room 104			Class A - irreplaceable		
			Cabinet 01	1st floor Taliesin Room	Mahogany planter		Class A - irreplaceable		
			Cabinet 02	Annex back room	Cabinet, with laminate replacement top		Class A - irreplaceable		

Item photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Cabinet 03	Annex back room			Class A - irreplaceable		
			Cabinet 04	Annex Room 104			Class A - irreplaceable		
			Cabinet 05	Annex Room 104			Class A - irreplaceable		
1			Cabinet 06	Annex Room 104			Class A - irreplaceable		
			Cabinet 07	Annex Room 104			Class A - irreplaceable		
			Cabinet 08	Annex Room 104			Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Cabinet 09	Annex back room	Cabinet		Class A - irreplaceable		
	381437		Chair 01	Annex Room 104	Armchair - red fabric upholstery		Class A - irreplaceable		Sold to 20 c design, Spring 2024
		3	Chair 02	Tower - 19th floor executive office	Armchair - red fabric upholstery	,	Class A - irreplaceable		
			Chair 03	Tower - 19th floor executive office	Armchair - blue fabric upholstery		Class A - irreplaceable	Unique as Price Sr's chair	
	l		Chair 04	Tower - 19th floor executive office	Desk chair without arms - light fabric upholstery		Class A - irreplaceable		
			Chair 05	Tower-2nd floor display	Armchair - red fabric upholster	у	Class A - irreplaceable		
P								÷	

em photo	item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Chair 06	Tower - 19th floor executive office	Armchair - leather or simulated leather upholstery		Class A - irreplaceable		
			Chair 07	Tower - 17th floor executive apartment	Armchair - red fabric upholstery		Class A - irreplaceable		
			Cushion 01	Tower-2nd floor archives	cushion for copper stool - red		Class A - irreplaceable		
3			Cushion 02	Tower-2nd floor display	cushion for copper stool - yellow		Class A - irreplaceable		
			Cushion 03	Tower-2nd floor display	cushion for copper stool - blue		Class A - irreplaceable		
			Cushion 04	Annex back room	cushion for copper stool - blue		Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Desk 01	Tower-2nd floor display			Class A - irreplaceable		
			Desk 02	Annex back room	desk		Class A - irreplaceable		
			Desk 03	Annex back room	desk		Class A - irreplaceable		
			Desk 04	Annex back room			Class A - irreplaceable		
			Desk 05	Annex back room	Desk top only		Class A - irreplaceable		
			Desk 06	Annex Room 104	Desk top only		Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
V			Desk 07	Annex Room 104	Desk top only		Class A - irreplaceable		
			Desk 08	Annex Room 104	Likely connected with Desk 6 or 7 desk tops		Class A - irreplaceable		
			Desk 09	Tower - 17th floor executive apartment		fixed to wall?	Class A - irreplaceable		
			Directory board	Annex Room 104			Class A - irreplaceable	Believed to be to the only object of this type in Wright's body of work.	design, Sprin
			Door 01	Annex Room 104	Mahogany veneer with vent		Class B - valuable		
			Door 02	Annex Room 104	Mahogany veneer frosted glazing		Class B - valuable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Door 03	Annex Room 104	Lower portion of Dutch door		Class B - valuable	Cut from original door?	
			Door 04	Annex Room 104	Aluminum door, standard height, with glass and HCP Co. logo		Class B - valuable		
			Door 05	Annex front room	Aluminum door, tall, without glass, possibly 1st floor entry door		Class B - valuable		
			Door 06	Annex front room	Aluminum door, standard height, with glass and HCP Co. logo		Class B - valuable		
			Door 07	Annex front room	Aluminum door, standard height, with glass, no HCP Co. logo		Class B - valuable		
			Door 08	Annex front room	Aluminum door, standard height, with glass, no HCP Co. logo		Class B - valuable		

tem photo	Item photo	Item photo		Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Door 09	Annex front room	Aluminum door, standard height, with glass, no HCP Co. logo		Class B - valuable		
			Door 10	Annex front room	Aluminum door, standard height, with glass, no HCP Co. logo		Class B - valuable		
			Doors/door frames	Annex attic	Approximately 50 mahogany veneer doors, approximately 8 hollow metal door frames, approximately 8 aluminum doors, at least one with HCP Co logo		Class B - valuable		
			Easel 1	Tower-2nd floor display			Class A - irreplaceable		
18			Easel 2	Tower - 17th floor executive apartment			Class A - irreplaceable		
Vol			Easel 3	Tower - 18th floor executive apartment			Class A - irreplaceable		

Item photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Easel 4	Tower - 18th floor executive apartment			Class A - irreplaceable		
			Elevator components	Corridor to Annex Back Room	Disassembled components of apartment elevator		Class A - irreplaceable		
			Fireplace hood 1	Annex Room 104	Copper fireplace hood	Approximately 51" high	Class A - irreplaceable		
			Fireplace hood 2	Annex Room 104	Copper fireplace hood	Approximately 51" high	irreplaceable		
			Fireplace hood 3	Annex Room 104	Copper fireplace hood	Approximately 51"	Class A - irreplaceable		s s
			Fireplace hood 4	Annex Room 104	Copper fireplace hood	Approximately 51" high	Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
	POLICE CONTRACTOR OF THE POLICE CONTRACTOR OF		Light fixture 1	Annex Room 104			Class A - irreplaceable		
			Louver 01	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 02	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 03	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 04	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 05	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Louver 06	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 07	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 08	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 09	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
			Louver 10	Annex Room 104	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
	3		Louver 11	Tower - 19th floor executive office bathroom	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		

Item photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
T	3		Louver 12	Tower - 19th floor executive office bathroom	Copper louver, partial	Approximately 18.5" wide	Class B - valuable		
The state of the s			Metal Panel 01	Annex Room 104	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		Sold to 20 c design, Spring 2024
			Metal Panel 02	Annex Room 104	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		Sold to 20 c design, Spring 2024
7			Metal Panel 03	Annex Room 104	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		
圆			Metal Panel 04	Annex Room 104	Copper panel - patinated	34.5"x40"	Class A - irreplaceable		Sold to 20 c design, Spring 2024
The state of the s			Metal Panel 05	Annex Room 104	Copper panel, partial - unpatinated	34.5"x40"	Class A - irreplaceable		

em photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Metal Panel 06	Annex Room 104	Copper panel, partial - unpatinated	34.5"x40"	Class A - irreplaceable		
To the second			Metal Panel 07	Annex Room 104	Copper panel, partial - unpatinated	34.5"x40"	Class A - irreplaceable		
			Metal Panel 08	Annex Room 104	Copper panel, partial - patinated	34.5"x40"	Class A - irreplaceable		
			Metal Panel 09	Annex Room 104	Copper panel, partial - unpatinated	34.5"x40"	Class A - irreplaceable		
			Metai Panel 10	Annex Room 104	Copper panel, partial - unpatinated	34.5"x40"	Class A - irreplaceable		
The state of the s			Metal Panel 11	Annex Room 104	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		

tem photo	Item photo	item photo	Title	1.ocation as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
TO SERVICE SER			Metal Panel 12	Annex Room 104	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		missing as of July 2024
			Metal Panel 13	Annex Room 104	Copper panel - patinated	34.5"x40"	Class A - irreplaceable		
M			Metal Panel 14	3rd floor executive director's office	Copper panel - patinated	34.5"x40"	Class A - irreplaceable		Colateral for \$10,000 loan, said loaned by Hans Schmolt. Panel understood to be at Schmolt's house.
			Metal Panel 15	2nd floor display	Copper panel - unpatinated	34.5"x40"	Class A - irreplaceable		
	1.50 E	E P	Plumbing fixtures	Annex attic	Plumbing fixtures, 16 roll-front sinks, 1 small sink, 1 standard sink, 2 white toilets, 1 non- white toilet		Class C - historic		
			Plywood 01	Annex Room 104	1/4" plywood with mahogany veneer one side, various narrow widths		Class B - valuable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Plywood 02	Annex Room 104	1/4" plywood with mahogany veneer one side, irregular shape		Class B - valuable		
			Plywood 03	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		
			Plywood 04	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		
			Plywood 05	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		
			Plywood 06	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		
			Plywood 07	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Plywood 08	Annex Room 104	1/4" plywood with mahogany veneer one side		Class B - valuable		
			Plywood 09	Annex Room 104	1/4" plywood with mahogany veneer one side, irregular shape		Class B - valuable		
	2		Plywood 09	Annex Room 104			Class B - valuable		
			Plywood 10	Annex Room 104	1/4" plywood with mahogany veneer one side, irregular shape		Class B - valuable		
			Plywood 11	Annex Room 104	1/4" plywood with mahogany veneer one side, various narrow widths		Class B - valuable		
			Stool 01	Tower-2nd floor archives	Copper stool		Class A - irreplaceable		

Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
		Stool 02	Tower-2nd floor display	Copper stool		Class A - irreplaceable		
		Stool 03	Tower-2nd floor display	Copper stool		Class A - irreplaceable		
		Stool 04	Tower - 19th floor executive office	Copper stool		Class A - irreplaceable		
		Stool 05	Annex room 112	Copper stool		Class A - irreplaceable		
		Stool 06	Annex room 112	Copper stool		Class A - irreplaceable		Sold to 20 c design, Spring 2024
		Stool 07	Annex room 112	Copper stool		Class A - irreplaceable		Sold to 20 c design, Spring 2024
			Stool 02 Stool 03 Stool 04 Stool 05 Stool 06	Stool 02 Stool 02 Tower-2nd floor display Stool 03 Tower-2nd floor display Stool 04 Tower - 19th floor executive office Stool 05 Annex room 112	2022.05.05 Stool 02 Tower-2nd floor display Stool 03 Tower-2nd floor display Copper stool Stool 04 Tower-19th floor executive office Stool 05 Annex room 112 Copper stool Stool 06 Annex room 112 Copper stool	Stool 02 Tower-2nd floor display Stool 03 Tower-2nd floor display Copper stool Stool 04 Tower-19th floor executive office Stool 05 Annex room 112 Copper stool Stool 06 Annex room 112 Copper stool	Stool 02 Tower-2nd floor display Stool 03 Tower-2nd floor display Copper stool Class A-irreplaceable Stool 04 Tower-19th floor executive office Stool 05 Annex room 112 Copper stool Class A-irreplaceable Class A-irreplaceable	2022.05.05 dimensions Stool 02 Tower-2nd floor display Copper stool Class A - irreplaceable Stool 03 Tower-19th floor display Stool 04 Tower-19th floor executive office Stool 05 Annex room 112 Copper stool Class A - irreplaceable Class A - irreplaceable

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Table 01	Tower-2nd floor display	Copper table		Class A - irreplaceable		
			Table 02	1st floor Taliesin Room	Designed by John DeKoven Hill for Taliesin Room in 1979, includes glass top		Class A - irreplaceable	,	
V			Table 03	1st floor Taliesin Room	Designed by John DeKoven Hill for Taliesin Room in 1979, includes glass top		Class A - irreplaceable		
V			Table 04	1st floor Taliesin Room	Designed by John DeKoven Hill for Taliesin Room in 1979, includes glass top		Class A - irreplaceable		
			Table 05	Annex back room	Designed by John DeKoven Hill for Taliesin Room in 1979, includes glass top		Class A - irreplaceable		
			Table 06	Tower - 17th floor executive apartment	Coffee table		Class A - irreplaceable		

ltem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Table 07	Tower-2nd floor display			Class A - irreplaceable		
Not accessible during May 2022 visit			Table 08	Annex room 113	Copper table		Class A - irreplaceable		Sold to 20 c design, Spring 2024
Not accessible during May 2022 visit			Table 09	Annex room 114	Coppertable		Class A - irreplaceable		Sold to 20 c design, Spring 2024
Not accessible during May 2022 visit	*		Table 10	Annex room 112	Copper Terrace table		Class A - irreplaceable		
			Typing stand 1	Tower - 19th floor executive secretary's desk			Class A - irreplaceable		
7			Waste paper basket 01	Tower - 17th floor executive apartment			Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Waste paper basket 02	Tower-2nd floor display			Class A - irreplaceable		
			Waste paper basket 03	Tower-2nd floor display			Class A - irreplaceable		
			Waste paper basket 04	Annex			Class A - irreplaceable		
			Waste paper basket 05	Annex			Class A - irreplaceable		
ot accessible uring May 2022 sit		7	Waste paper baskets 6-16	room 112			Class A - irreplaceable	11 wastebaskets total in locked room 111	
			Wood panel 01	Tower - TBD	Folding panel, plywood, 5 part		Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05		Approximate dimensions	Class	Notes	Status
			Wood panel 02	Tower - TBD	Folding panel, plywood, 5 part		Class A - irreplaceable		
			Wood panel 03	Annex attic	Assumed wood veneer on both sides		Class B - valuable		
			Wood panel 04	Annex attic	Assumed wood veneer on both sides		Class B - valuable		
			Wood panel 05	Annex Room 104	Panel of two layers of 1/4" plywood with mahogany veneer one side	,	Class B - valuable		
			Wood panel 06	Annex Room 104	Mahogany veneer one side, mirror other side		Class A - irreplaceable		
			Wood panel 07	Annex Room 104	Mahogany veneer one side, mirror other side		Class A - irreplaceable		

tem photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Wood panel 08	Annex Room 104	Mahogany veneer one side, mirror other side		Class A - irreplaceable		
			Wood panel 09	Annex Room 104			Class A - irreplaceable		
	V		Wood panel 10	Annex Room 104			Class A - irreplaceable		
			Wood panel 11	Annex Room 104			Class A - irreplaceable		
	V		Wood panel 12	Annex Room 104			Class A - irreplaceable		
			Wood panel 13	Annex Room 104	Panel of two layers of 1/4" plywood with mahogany veneer one side		Class B - valuable		

Item photo	Item photo	Item photo	Title	Location as of 2022.05.05	Description	Approximate dimensions	Class	Notes	Status
			Wood panel 14	Annex Room 104	Panel of two layers of 1/4" plywood with mahogany veneer one side		Class B - valuable		
			Wood panel 15	Annex Room 104			Class A - irreplaceable		